

Fig. 1

Project Name:		1 1 4 * * *	~ ~
bblour		• •	· ×
EJB Code Generation Output Directory:		, ,	, -
D:lopftWebLogicAC\src		Browse	
Deploy Code Generation Output Directory:	(- -	Beauty	 -
D.lopfiWebLogicACideploy(weblogic)cloudscape	! _	Browse	٠ . ـ
TAST Model File;	_		
isto i monotina i		Browse.	<u> </u>
D toptwebLogicACtsrctbbtour.tast		*	
D topftWebLogicACtsrctbbtour.tast		•	
		Browse	

Project Properties Directories Packages			
Packages		Classes	
□ java.securny.acr □ java.security.interfaces	1.1	eanieHat	
☐ java.rmi		eanieHatPricePolicy	
☐ java.rmi.registry ☐ java.rmi.server			
☐ java.rmi.dgc			
☐ java.beans			
☐ examples ☐ examples.buybeans			
☐ examples.buybeans.iter			
examples.tivytieans.tou			
C	K (Cancel	
		Cancer	

Fig. 3


User Options 🗵
Smart Generator Java
Smart Generator Options
Smart Generator
theory.smart.compiler.SmartGenerator
Smart Generator Options
-trace g
Smart Generator TAST Flag
-tast
Smart Generator Root Directory Flag
-root
Smart Generator Deploy Root Directory Flag
-deployment_root
Smart Generator Classes Flag
-classes
,
-
Ok Cancel

Fig. 4

91. 0	
User Options	X X X X X X X X X X X X X X X X X X X
Smart Generator Java	
Java Options	* * * * * * * * * * * * * * * * * * * *
Classpath	
C:\UDK12~1.2\jre\lib\rt.jar	C.lweblogiclevallcloud
Java Compiler	
javac	
Java Compiler Options	
	:
Java Virtual Machine	1
java	
JVM Options	,
Java Execution Timeout	
10000	
Ok	Cancel

ojects	Outp	ut Con	sole				٠,	· -		-			- , 1	
- :	<u> </u>													<u> </u>
	-				•		ns/tour					ava	ŀ	2
~					-		Created	_					1	
C:/Web	Logi	:AC/st	c/ex	empl	es/buyb	ea	rs/tour	/Beanie	HatPr	icePo	licy.j	ava.bak	.]	1
Mon Ap	r 03	19:07	:00	eut :	2000:<ç	7>	Generat	ing Inp	lemen	tatio	n		İ	
C:/Veb	Logi	cac/se	:c/ex	iças	es/buyi	oca	ms/tour	/Beanie	Hatfr	10e70	licyIn	pl.java	.	
non Ap	r 03	19:07	:01	EDT	2000: cç	P	Created	backup	file	to -	->		- 1	
C:/Veb	Logi	cAC/sr	:c/ex	lqus	es/buyb)ea	ms/tour	/Beanie	HatPr	icePo	licyIn	pl.jave	a.bak	
Mon Ap	£ 03	19:07	7:01	EDT	2000:<	ø	Generat	ing Hor	è				1	, 1
C:/Web	Logi	cAC/sr	c/ex	ampl	es/buyh	ea	r.s/tour	/Beanie	HatPr	icePo	licyHo	me.java	a	
Mon Ap	r 03	19:07	7:01	EDT	2000:<	;>	Created	backup	file	to -	>		- 1	
C:/Web	Logi	cAC/sr	co/ex	aup1	es/buyl	bes	ms/tour	/Beanle	HatPr	10220	licyHo	we.java	a.bak	
Non Ap	t 03	19:07	7:01	EDT	2000:<	5 >	Cenerat	ing Dat	a Obj	ect 3	DBC	•		
C:/Web	Logi	cAC/de	eploy	/web	logic/	clo	udscape	/exempl	es/bu	ybear	s/tour	/Beani	eHatF	
ricePo	-													10
	_	-	-		2000:<	ά>	Compile	r done	(Cook	10 :	econd:	1)		Ž

L	Bigg		j 1	C	lear]					,			



	Language and the second	
Name and Stereotype	< <bsc.configurableentity>></bsc.configurableentity>	~810
1		
	☐ description: String	~820 — Attributes
~002	<pre> // c<bsc.primarykey>> version : String // price : theory.smart.axiom.units.Price // price : theory.smart.axiom.axiom.units.Price // price : theory.smart.axiom.units.Price // price : theory.smart.axiom.axiom.units.Price // price : theory.smart.axiom.axi</bsc.primarykey></pre>	
	■ calculatePrice()	~830
	setDefaultItemPriceCalculationPolicy()getDefaultItemPriceCalculationPolicy()	

Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12

BeanieToy

rig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17